

Insulation Housings

ISO Series

Model Allocation Number

CS-ISO 2V BK

Series Code

28 110 Series
48 187 Series
50 197 Series
63 250 Series
ISO .. ISO Series
LK LOK Series
SEK .. Self Locking Series
TP Low Insertion Series

Colour Code

BK Black
MR ... Brown

Number of Circuits

Insulation Housings

ISO Series

Model Allocation Number

CS-ISO 2V BK


Series Code

28 110 Series
48 187 Series
50 197 Series
63 250 Series
ISO .. ISO Series
LOK .. LOK Series
SEK .. Self Locking Series
TP Low Insertion Series

Colour Code

BK Black
MR ... Brown


Number of Circuits



ISO SERIES

Insulation housings for terminals

01 Type (Straight) Housing <Made in Europe>




Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO2V/BK		Two Circuit Housing	Nylon 66FV	100	SIM-1.0(*)-110N(*)-8-E-F4-F	CS-ISO2V/BKPF

Note:

- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; SIM-1.0T-110N-8-E-F4-F
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.


02 Type (Straight) Housing <Made in Europe>



Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO2V/BKPF		Two Circuit Housing	Nylon 66FV	100	STT-(*)-110H(*)-E-F1	CS-ISO2V/BK

Note:


- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; STT1.0T-110H-E-F1
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.



ISO SERIES

Insulation housings for terminals

03 Type (Straight) Housing <Made in Europe>




Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO8V/BK		Eight Circuit Housing	Nylon 66FV	100	SIM-1.0(*)-110(*)-8-E-(*)-(*)	CS-ISO8V/BKPF

Note:

- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; SIM-1.0T-110D-8-E-F3-F
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.


04 Type (Straight) Housing <Made in Europe>



Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO8V/BKPF		Eight Circuit Housing	Nylon 66FV	100	STT-(*)-(*)-110H(*)-E-F1	CS-ISO8V/BK

Note:


- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; STT-1.0T-110H-E-F1
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.



ISO SERIES

Insulation housings for terminals

05 Type (Straight) Housing <Made in Europe>




Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO8V/MR		Eight Circuit Housing	Nylon 66FV	100	SIM-1.0(*)-110D-8-E-(*)-(*)	CS-ISO8V/MRPF

Note:

- 1) Colour coding: MR = Brown Housing.
- 2) Example applicable JST Terminal; SIM-1.0T-110D-8-E-F3-F
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.


06 Type (Straight) Housing <Made in Europe>



Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO8V/MRPF		Eight Circuit Housing	Nylon 66FV	100	STT-(*)-(*)-110H(*)-E-F1	CS-ISO8V/MR

Note:


- 1) Colour coding: MR = Brown Housing.
- 2) Example applicable JST Terminal; STT-1.0T-110H-E-F1
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.



ISO SERIES

Insulation housings for terminals

07 Type (Straight) Housing <Made in Europe>




Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO16V/BK		Sixteen Circuit Housing	Nylon 66FV	100	SIM-1.0(*)-110(*)-8-E-(*)-(*)	CS-ISO16V/BKPF

Note:

- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; SIM-1.0T-110D-8-E-F3-F
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.

08 Type (Straight) Housing <Made in Europe>



Part No	Standard	Description	Material	Max Operating Temp °C	Applicable JST Terminal	Applicable Mating Housing
CS-ISO16V/BKPF		Sixteen Circuit Housing	Nylon 66FV	100	STT-(*)-(*)-110H(*)-E-F1	CS-ISO16V/BK

Note:

- 1) Colour coding: BK = Black Housing.
- 2) Example applicable JST Terminal; STT-1.0T-110H-E-F1
- 3) Parts are available in different materials: Contact JST.
- 4) For availability, delivery and minimum order quantity details, contact JST.